

UNITED STATES PATENT AND TRADEMARK OFFICE



DATE MAILED: 07/02/2002

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/751,774	12/29/2000	Stephen T. Stoycos	GEMS:0096/YOD 31-CD-5622	8744
7:	590 07/02/2002			
Patrick S. Yoder Fletcher, Yoder & Van Someran P.O. Box 692289			EXAMINER	
			DOLINAR, ANDREW M	
Houston, TX 77269-2289			ART UNIT	PAPER NUMBER
			3747	

Please find below and/or attached an Office communication concerning this application or proceeding.

Application No. Office Action Summary Examiner Art Unit Andrew M. Dolinar The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.						
Office Action Summary Examiner Andrew M. Dolinar 3747 The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.						
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.						
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.	<u> </u>					
THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.	• •					
 Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status						
1) Responsive to communication(s) filed on						
2a) This action is FINAL . 2b) This action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims						
4) Claim(s) 1-32 is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-32</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action. 12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
 a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. 						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4. 4) Interview Summary (PTO-413) Paper No(s). 5) Notice of Informal Patent Application (PTO-152) 6) Other:						

Application/Control Number: 09/751,774

Art Unit: 3747

DETAILED ACTION

This application currently names joint inventors. In considering patentability of the

claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various

claims was commonly owned at the time any inventions covered therein were made absent any

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out

the inventor and invention dates of each claim that was not commonly owned at the time a later

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c)

and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly

claiming the subject matter which the applicant regards as his invention.

Claim 26 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for

failing to particularly point out and distinctly claim the subject matter which applicant regards as

the invention. Claim 26 recites the limitation "the cardiac catheterization lab" in lines 2-3. There

is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the

basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in-

(1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effect under this subsection of a national application published under section 122(b) only if the international application designating the United States was

published under Article 21(2)(a) of such treaty in the English language; or

Page 2

Application/Control Number: 09/751,774

Art Unit: 3747

(2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that a patent shall not be deemed filed in the United States for the purposes of this subsection based on the filing of an international application filed under the treaty defined in section 351(a).

Claims 25, 27-30 and 32 are rejected under 35 U.S.C. 102(e) as being anticipated by Soukal. Soukal discloses a medical therapeutic and/or diagnostic system with an examination device 3 coupled to a server 8, which corresponds to the claimed data acquisition workstation, and a plurality of workstations 9.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-24 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Soukal in view of Budd et al. Soukal discloses a medical therapeutic and/or diagnostic system with a central server 8 and a plurality of workstations 9. Data transmitting acts as claimed is at least implied by the disclosure of Soukal. Soukal does not disclose the cardiac catheterization procedure. Budd et al teaches that it is known to perform a cardiac catheterization procedure as specified in the claims. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use the medical data processing system of Soukal in combination with a cardiac catheterization procedure and system, as taught by Budd et al, because this merely involves combining elements of art recognized suitability for an intended purpose. See MPEP § 2144.07.

Application/Control Number: 09/751,774

Art Unit: 3747

Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Soukal in view

Page 4

of Eady et al. Soukal discloses the claimed invention as stated above except for a satellite link.

Eady et al teaches that it is known to use a satellite link for communication between a client and

server. It would have been obvious to one having ordinary skill in the art at the time the

invention was made to provide the medical therapeutic and/or diagnostic system of Soukal with

a satellite link, as taught by Eady et al, because this merely involves combining elements of art

recognized suitability for an intended purpose. See MPEP § 2144.07.

Prior Art

The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. Lamb et al discloses a data communication system for use in medical procedures.

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Andrew M. Dolinar whose telephone number is (703) 308-1948. The

examiner can normally be reached on Mon. - Thu. (7:30-6:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Gene Mancene can be reached on (703) 308-2696. The fax phone numbers for the

organization where this application or proceeding is assigned are (703) 872-9302 for regular

communications and (703) 872-9303 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703) 308-0861.

Andrew M. Dolinar Primary Examiner

A LIL Y CZ4Z

Art Unit 3747

AMD

June 27, 2002